

TENSA SOLO


Portable Hammock **Stand**

Version 1.2 Fall 2019

Setup Instructions









TENSA SOLO Conversion Kit

Portable Hammock Stand

Setup Instructions







TENSA SOLO setup instructions





Anchoring tips

If the ground is extremely hard or rocky, consider using metal hammer-in nails, such as Tensa Boomstakes, instead of Orange Screws. It's not a matter of one being better than the other generally, but of suitability for specific conditions. More tips:

- Tie to the base of a firmly rooted woody shrub or exposed rock feature, with or without the anchor reinforcing.
- · Excavate any very loose soil until you uncover firmer, and drive the anchor into that.
- Hit a big rock, root, or treasure chest? Excavate enough opposite the hammock side either to tie to the object itself if massive, or to drive the anchor in behind it.
- Check your anchors between nights, repositioning if they seem loose, especially if there's been rain.
- Anchors driven further away from the stand, with longer guylines, tend to hold better than those positioned close, soil conditions being the same.
- Anchors positioned closer to one another tend to hold better than those positioned further apart, but too close and the stand will lack lateral stability.
- Heavier users, or those facing exceptionally loose or soft muddy ground without reinforcing roots: find firmer ground or use more anchors. We include only 2 per pole, but more increase holding power. Use a self-equalizing harness if materials permit.